



## Grade 8 Hardware



Part #	Description	Weight
MT-HW-BS-0200-GR8-132	5/8-11 x 2" Hex Bolt Set (Bolt, Nut, 2x Washer)	0.35lbs (0.16kg)
MT-HW-BS-0250-GR8-132	5/8-11 x 2.5" Hex Bolt Set (Bolt, Nut, 2x Washer)	0.40lbs (0.18kg)



MT-HW-BT-HEX-HEX-GR8-0100-132	5/8-11 Hex Bolt, 1"	2.35oz (0.066kg)
MT-HW-BT-HEX-HEX-GR8-0125-132	5/8-11 Hex Bolt, 1.25"	2.65oz (0.075kg)
MT-HW-BT-HEX-HEX-GR8-0150-132	5/8-11 Hex Bolt, 1.5"	2.95oz (0.083kg)
MT-HW-BT-HEX-HEX-GR8-0175-132	5/8-11 Hex Bolt, 1.75"	3.15oz (0.089kg)
MT-HW-BT-HEX-HEX-GR8-0200-132	5/8-11 Hex Bolt, 2"	3.50oz (0.099kg)
MT-HW-BT-HEX-HEX-GR8-0250-132	5/8-11 Hex Bolt, 2.5"	4.30oz (0.121kg)
MT-HW-BT-HEX-HEX-GR8-0300-132	5/8-11 Hex Bolt, 3"	4.85oz (0.137kg)
MT-HW-BT-HEX-HEX-GR8-0350-132	5/8-11 Hex Bolt, 3.5"	5.60oz (0.158kg)
MT-HW-BT-HEX-HEX-GR8-0400-132	5/8-11 Hex Bolt, 4"	6.30oz (0.178kg)
MT-HW-BT-HEX-HEX-GR8-0450-132	5/8-11 Hex Bolt, 4.5"	6.95oz (0.197kg)
MT-HW-BT-HEX-HEX-GR8-0500-132	5/8-11 Hex Bolt, 5"	7.60oz (0.215kg)
MT-HW-BT-HEX-HEX-GR8-0550-132	5/8-11 Hex Bolt, 5.5"	8.35oz (0.236kg)
MT-HW-BT-HEX-HEX-GR8-0600-132	5/8-11 Hex Bolt, 6"	9.05oz (0.256kg)
MT-HW-BT-HEX-HEX-GR8-0650-132	5/8-11 Hex Bolt, 6.5"	9.70oz (0.274kg)
MT-HW-BT-HEX-HEX-GR8-0700-132	5/8-11 Hex Bolt, 7"	10.25oz (0.290kg)
MT-HW-BT-HEX-HEX-GR8-0750-132	5/8-11 Hex Bolt, 7.5"	10.95oz (0.310kg)
MT-HW-BT-HEX-HEX-GR8-0800-132	5/8-11 Hex Bolt, 8"	11.70oz (0.331kg)



MT-HW-WA-G-0013-0050-1300-GR8-SAE	5/8 SAE Washer	0.02lbs (0.009kg)
-----------------------------------	----------------	-------------------



MT-HW-NT-HEX-HEX-GR8-132	5/8-11 Nut	0.07lbs (0.03kg)
--------------------------	------------	------------------



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable




Compatible



Serialized &amp; Traceable

# Grade 8 Hardware



Part #	Description	Weight
MT-HW-BT-HEX-HEX-GR8-0100-128	1/2-13 Hex Bolt, 1"	1.30oz (0.036kg)
MT-HW-BT-HEX-HEX-GR8-0125-128	1/2-13 Hex Bolt, 1.25"	1.50oz (0.042kg)
MT-HW-BT-HEX-HEX-GR8-0150-128	1/2-13 Hex Bolt, 1.5"	1.70oz (0.048kg)
MT-HW-BT-HEX-HEX-GR8-0175-128	1/2-13 Hex Bolt, 1.75"	1.85oz (0.052kg)
MT-HW-BT-HEX-HEX-GR8-0200-128	1/2-13 Hex Bolt, 2"	2.15oz (0.060kg)
MT-HW-BT-HEX-HEX-GR8-0250-128	1/2-13 Hex Bolt, 2.5"	2.60oz (0.073kg)
MT-HW-BT-HEX-HEX-GR8-0300-128	1/2-13 Hex Bolt, 3"	3.00oz (0.085kg)
MT-HW-BT-HEX-HEX-GR8-0350-128	1/2-13 Hex Bolt, 3.5"	3.45oz (0.097kg)
MT-HW-BT-HEX-HEX-GR8-0400-128	1/2-13 Hex Bolt, 4"	3.90oz (0.110kg)
MT-HW-BT-HEX-HEX-GR8-0450-128	1/2-13 Hex Bolt, 4.5"	4.35oz (0.123kg)
MT-HW-BT-HEX-HEX-GR8-0500-128	1/2-13 Hex Bolt, 5"	4.75oz (0.134kg)
MT-HW-BT-HEX-HEX-GR8-0550-128	1/2-13 Hex Bolt, 5.5"	5.15oz (0.146kg)
MT-HW-BT-HEX-HEX-GR8-0600-128	1/2-13 Hex Bolt, 6"	5.60oz (0.158kg)
MT-HW-BT-HEX-HEX-GR8-0650-128	1/2-13 Hex Bolt, 6.5"	6.00oz (0.170kg)
MT-HW-BT-HEX-HEX-GR8-0700-128	1/2-13 Hex Bolt, 7"	6.30oz (0.178kg)
MT-HW-BT-HEX-HEX-GR8-0750-128	1/2-13 Hex Bolt, 7.5"	6.85oz (0.194kg)
MT-HW-BT-HEX-HEX-GR8-0800-128	1/2-13 Hex Bolt, 8"	7.30oz (0.206kg)



MT-HW-WA-G-0013-0050-0106-GR8-SAE	1/2 SAE Washer	0.35oz (0.009kg)
-----------------------------------	----------------	------------------



MT-HW-NT-HEX-HEX-GR8-128	1/2-13 Nut	1.15oz (0.032kg)
--------------------------	------------	------------------



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable

## Misc. Hardware



Part #	Description	Weight
MT-HW-BT-TPD-ALN-BLO-0100-132	5/8-11 Tapered Head Socket Screw, 1"	1.53oz (0.043kg)
MT-HW-BT-TPD-ALN-BLO-0125-132	5/8-11 Tapered Head Socket Screw, 1.25"	1.80oz (0.051kg)
MT-HW-BT-TPD-ALN-BLO-0150-132	5/8-11 Tapered Head Socket Screw, 1.5"	2.10oz (0.059kg)
MT-HW-BT-TPD-ALN-BLO-0175-132	5/8-11 Tapered Head Socket Screw, 1.75"	2.35oz (0.066kg)
MT-HW-BT-TPD-ALN-BLO-0200-132	5/8-11 Tapered Head Socket Screw, 2"	2.65oz (0.075kg)
MT-HW-BT-TPD-ALN-BLO-0250-132	5/8-11 Tapered Head Socket Screw, 2.5"	3.25oz (0.092kg)
MT-HW-BT-TPD-ALN-BLO-0300-132	5/8-11 Tapered Head Socket Screw, 3"	3.805oz (0.107kg)

MT-HW-BT-TPD-ALN-BLO-0100-128	1/2-13 Tapered Head Socket Screw, 1"	0.90oz (0.025kg)
MT-HW-BT-TPD-ALN-BLO-0125-128	1/2-13 Tapered Head Socket Screw, 1.25"	1.05oz (0.029kg)
MT-HW-BT-TPD-ALN-BLO-0150-128	1/2-13 Tapered Head Socket Screw, 1.5"	1.25oz (0.035kg)
MT-HW-BT-TPD-ALN-BLO-0175-128	1/2-13 Tapered Head Socket Screw, 1.75"	1.45oz (0.041kg)
MT-HW-BT-TPD-ALN-BLO-0200-128	1/2-13 Tapered Head Socket Screw, 2"	1.60oz (0.045kg)
MT-HW-BT-TPD-ALN-BLO-0250-128	1/2-13 Tapered Head Socket Screw, 2.5"	2.05oz (0.058kg)
MT-HW-BT-TPD-ALN-BLO-0300-128	1/2-13 Tapered Head Socket Screw, 3"	2.35oz (0.066kg)



MT-HW-BT-SHC-CUP-BLO-075-132	5/8-11 Cup Point Set Screw, 0.75"	0.65oz (0.018kg)
MT-HW-BT-SHC-CUP-BLO-075-128	1/2-13 Cup Point Set Screw, 0.75"	0.35oz (0.009kg)



MT-HW-P-RP-0200-0016-0109	Roll Pin	3.0oz (0.085kg)
---------------------------	----------	-----------------



MT-HW-P-AS-0300-0100-0106	1" Pin (Usable length: 1")	0.75lbs (0.34kg)
---------------------------	----------------------------	------------------



MT-HW-P-CP-0448-0012-0110	Cotter Pin	3.0oz (0.085kg)
---------------------------	------------	-----------------



MT-HW-AC-132-0200	5/8-11 Hex Bolt, 2" Ammo Can	4.90lbs (2.22kg)
MT-HW-AC-132-0250	5/8-11 Hex Bolt, 2.5" Ammo Can	5.3lbs (2.40kg)

Custom branding available



Electrical Hazard



Flammability



In Stock



Made To Order



Customizable



Reusable



Compatible



Serialized & Traceable